Sinks

Foster takes great care to use materials able to provide the best performance. Our entire range is made with **AISI 304 - 18/10** and **AISI 316 austenitic steels**. Thanks to the high percentages of chrome and nickel they contain, they give a particularly bright finish, and make the products extremely sturdy and absolutely resistant to rust and corrosion. An incredible range at your disposal, counting as many as 26 sinks' families.

GK p. 36

S4001 p. 42

S4000 p. 48

Quadra p. 52

Master p. 60

KE p. 62

Triplo invaso p. 68

S3000 p. 70

Marine p. 76

KS p. 80

FM p. 84

F300 p. 86

Elettra p. 88

Big Bowl p. 90

Big Bowl Soft p. 94

Uragano p. 98

Tornado p. 100

Alien 2 p. 102

F2000 p. 104

Angolare p. 106

Trapezio p. 108

Diamant p. 109

Rondò p. 110

Circolari p. 111

S1000 p. 112

Undermount sinks p. 117

Complements p. 144

Designer finishes

The exclusive finishes on Foster steels are the result of painstaking research, the aim being to achieve the perfect combination between good looks and functionality.
A distinctive feature, a true trademark that makes our products stand out **for the ease with which they can be cleaned.**



Foster finish

Foster brushed finish
The steel is treated with special vegetable fibres that give it the characteristic extrafine satin finish that is highly elegant and functional. **This makes the surfaces very smooth and easy to clean**.

Microfoster finish

Microfoster® finish
A scratchproof finish with an exclusive, extrafine and almost imperceptible textured appearance that gives the steel a special shine and sets off the style to its best effect.

Design finish

Design finish
Scratchproof finish with an original and elegant texture that protects the material from accidental scuffing and from wear through use.

Built-in and beyond

The methods with which worktops can be built-in have become increasingly more varied and customized. Foster was the first sink manufacturer to have researched and used the new recessing methods and has thus acquired a great deal of experience. It **now offers the most comprehensive range available on the market**, with flush-mount, flat-edge and undermount installation.

Standard
Traditional built-in with the vertical, 8-mm edge.

Q4
The casing has a square edge that stands on the work surface by just 4 mm.
Great solution to match the sink with the ceramic glass hobs (Induction).

Flat-edge
An original edge, with an inclined, 3 mm high profile, matching an extreme elegance with the easiness of installation.



Flush-mount
The product is sunk in 1 mm deep recess thus beeing perfectly flush with the worktop. As alternative, it can be installed on the worktop as well.



Undermount
A classy and contemporary idea, to be installed under the worktop; available in various types of sinks, with soft or square design.

Built-in
Almost the whole range of Foster sinks can be integrated into stainless steel worktops; it is the most elegant and professional solution, that creates a seamless work-surface. The products that cannot be welded are listed hereafter.

Flush-mount & Flat-edge: a clarification to be done

Many manufacturers indicate as Flat-edge a Flush-mount edge mounted on the worktop.

For Foster Flat-edge means a real alternative built-in solution with an elegant 3 mm sloping edge.

In any case, Foster's Flush-mount models can be mounted on the worktop (as in the detail in the picture), thus offering a further built-in solution.

Features

In designing a kitchen, it is essential to create a washing area tailored to one's requirements.
As a matter of fact, statistics show that most of the time spent in the kitchen involves preparing and cleaning food or washing dishes, therefore, using the sink.

Essential aspects to consider when choosing a sink include **the quality and finish of the steel, manufacturer's warranty, shape and size of the bowls and available accessories, be they standard or optional**. Foster offers all of this in over 300 items, to enable everyone to choose his/her "OWN" sink.

Sturdy sinks
For every type of sink (welded or single-moulded) and price bracket, Foster works with above-average steel thickness when compared to other manufacturers. As a result, also owing to our long experience, we are able to construct "sturdy" sinks displaying a unique design. This icon marks the models with steel thickness of 1 mm.

Spacious bowls
Thanks to the pioneering manufacturing technology used, all the bowls in Foster sinks provide a generous depth (even the single-moulded versions, i.e. formed from a single sheet of steel). The bowls in many of the versions are more than 20 cm deep, thus sizeable and practical for all washing operations.

Bowls with tight radius
Bowls with squared-out shapes, a modern design and more capacity. Foster proposes a wide range of choices with different manufacturing technologies and corners with different radiuses. The icon marks the bowls with inner radius equal to or less than 25 mm.

Double tap hole
On many Foster sinks the ample tap area is already provided with two tap holes. The second hole can easily be used to install the remote control of the automatic waste fitting or, as an alternative, a practical soap dispenser (see page 144)



Possibility of a second/third tap hole
Many sinks can be customized with on-demand additional holes, to be requested on the order. These can be used for taps requiring two holes, for automatic waste fittings' commands or to install soap dispensers. This features is marked on the drawings by means of a dotted outline.

Diamond-shaped bottom
The water drainage on the bowl's bottom is an important feature, always well cared for on Foster sinks. In the squared-out, flat-bottomed sinks, the draining is ensured by the elegant diamond-shaped creases that make the water flow easier.

Waste fittings
Foster sinks are equipped with a generously sized 3.5” waste fitting and practical strainer plug that prevents solids from flowing away with the waste water. The 3.5” drain allows the Foster waste-disposer, which is compatible with all models, to be used. (Compatibility with the waste-disposer of other manufacturers is not guaranteed).

Waste fitting with remote control
The waste fitting with remote control is part of the standard equipment supplied with some of the models. A very convenient accessory that saves you from wetting your hands when the bowl needs emptying (see page 147).

Space waste fitting
Thanks to the stainless steel stopper, this waste has a nice minimal look. Space has moreover a limited encumbrance, ensuring the best exploitation of the under-sink cabinet. It is compatible with the sinks with perimetric overflow.

Perimetric overflow
The overflow safety, present on all Foster sinks, avoids any spillage of water in case the tap is inadvertently left open. The new perimetric solution available on some models improves the look thanks to its squared-out and essential shape.

Space-saver
A feature that optimizes the use of the under-sink space, which is more and more important due to recycling practices. This feature is standard on some models but always possible also on any other model by ordering specific waste fittings and siphons as accessories (see page 146).



Sliding brackets
Many models feature the exclusive Foster installation system, in which the brackets are free to slide all along the sink’s perimeter. This makes the installation easier because the brackets can be placed in the more accessible places.

On-top and flush-mount range

cabinet 100

KS - p. 99

STD

Uragano - p. 99

STD SF

cabinet 90

GK - p. 40

NEW

SF FT

S4001 - p. 45

Q4 FT

S4000 - p. 50

Q4 FT

Quadra - p. 55-56

FT

SF FT

SF

KE - p. 64

SF

cabinet 90

Triplo invaso - p. 69

NEW

Q4

Q4

S3000 - p. 71-72-73

STD SF FT

STD SF FT

F300 - p. 87

NEW

STD

NEW

STD

Big Bowl-BB Soft - p. 91-92-93-94

STD SF

STD SF

cabinet 80

S4001 - p. 46

FT

S4000 - p. 49

Q4 FT

Quadra - p. 55-56 ▲

FT

SF FT

Master - p. 61



NEW

FT

NEW

FT

KE - p. 64

SF

SF

SF *

KE Q4 - p. 67

Q4

cabinet 80

KE Q4 - p. 67

NEW

Q4

S3000 - p. 74

STD

Marine - p. 79

NEW

SF *

NEW

SF *

KS - p. 82

STD

STD *

FM - p. 85

STD *

STD *

Elettra - p. 89

NEW

STD *

NEW

STD *

✱ For application at start or end composition consider the next cabinet to the one reported

▲ The cabinet reported is valid in case of worktop thick more than 30 mm

On-top and flush-mount range

ST Undermount range
see pages 120-121

cabinet 80

Tornado - p. 101

STD SF FT

Alien 2 - p. 103 *

STD

STD

F2000 - p. 105



STD

STD

STD

Diamant - p. 109

SF

S1000 - p. 113-114

STD

STD

STD

cabinet 60

GK - p. 41

NEW

SF FT

S4001 - p. 45-46-47 *

Q4 FT

Q4 FT

FT

FT

S4000 - p. 49-50-51 *

Q4 FT

Q4 FT

Quadra - p. 54-55-56 ▲

SF FT

SF FT

Q4 SF FT

cabinet 60

Master - p. 61

NEW

FT

KE - p. 64-65-67 *

SF

SF

Q4

S3000 - p. 72-73-74 *

STD SF FT

STD SF FT

FT

Marine - p. 79 *

NEW

SF

KS - p. 82-83 *

STD

NEW

STD

cabinet 60

FM - p. 85 *

STD

F300 - p. 87

NEW

STD

Elettra - p. 89

NEW

STD

Big Bowl-BB Soft - p. 91-92-93-94-95

STD

STD SF

STD

STD

STD

STD FT

Alien 2 - p. 103 *



STD

Continued on next page >>>

* For application at start or end composition consider the next cabinet to the one reported

▲ The cabinet reported is valid in case of worktop thick more than 30 mm

On-top and flush-mount range

cabinet 60

Trapezio - p. 108

Diamant - p. 109

Rondò - p. 110

S1000 - p. 113

cabinet 45

Quadra - p. 57-58

KE - p. 65 *

S3000 - p. 74 *

Marine - p. 79 NEW

KS - p. 83

FM - p. 85

F300 - p. 87 NEW

cabinet 45

Elettra - p. 89

Alien 2 - p. 103

F2000 - p. 105

Circolari - p. 111

S1000 - p. 113-114

cabinet 40

Quadra - p. 58 ▲

S3000 - p. 75

cabinet 30

S4001 - p. 47

KS - p. 83

S1000 - p. 114

cabinet 45

S4001 - p. 47

S4000 - p. 50-51

Angolari - p. 107

cabinet 90x90

linear cabinet 90

Key to symbols

- STD Standard
- Q4 Q4
- SF Flat-edge
- FT Flush-mount

- Brushed finish
- Microfoster finish
- Design finish

* For application at start or end composition consider the next cabinet to the one reported

▲ The cabinet reported is valid in case of worktop thick more than 30 mm

Combinations

Foster is one of the very few companies manufacturing both sinks and hobs. This enables us to pursue a policy of matching of shape and designs on the horizontal worktop: for kitchens in which every detail counts.



Q4
Q4 edge matches perfectly with induction hobs which feature a 4 mm glass thickness.

Standard
Foster range offers countless cooking-washing combinations with standard 8 mm built-in.

Flat-edge
The Flat-edge solution is always available in the most prestigious series, for highly stylish combinations.

Complements that make the difference

An allocation of increasingly rich and designed accessories features Foster's proposals.
All models are **accompanied with cutting boards, bowls, dishes holders and colanders** that enhance the aesthetics and functionality of your sink. The full range is presented on the following pages.

Twin chopping boards

The Twin chopping boards are much more than simple chopping boards. Coupled with colanders and baskets they become space-saving multifunctional systems. In the picture, the **L3** chopping board is accompanied by the **T** dishes' holder and **Z** colander.

Modular sets

Space and time, more and more valuable items in the kitchen.
For this reason Foster has designed **integrated systems of accessories that enhance your every move**, and minimize space when not in use.

The big bowls...with many accessories

Foster range is particularly rich in **sinks with large single bowls**. From the functional point of view this is in fact the best solution: a single large basin which can contain dishes and objects of considerable size, equipped with bowls, baskets and chopping boards which make the working area flexible and perfectly functional. In the picture: **N2** chopping board matches with **O2** bowl and **T1** dishes holder, to form a complete set of great elegance.

Multi-usage kit

A versatile chopping board
The Twin Hdpe chopping board **N3** combines with the new kit **P2** to accommodate graters and the containment bowl below. Other accessories can be inserted in the outer ring of the chopping board, as the dishes holder **T2** or the colander **Z2**.

The chopping boards

The wide range of boards includes many proposals in **precious woods, highly resistant to wear and absorption of liquids**, to ensure health and long life. Glass and synthetic models, round off Foster' solutions.

Wood chopping boards

A

Chopping board
34x40 cm

8647 000
8033524374595

C

Chopping board
29x40 cm

8653 000
8033524374625

E

Chopping board
45x40 cm

8655 000
8033524374649

G

Chopping board
40x40 cm

8646 000
8033524374588

H

Chopping board
37x30 cm

8659 111
8033524374687

I

Chopping board
37x46 cm

8659 112
8033524374694

J

Round chopping board
Ø40 cm

8651 000
8033524374618

K

Iroko chopping board

8648 000
8033524374601

L

Padouk wood Twin
chopping board 35,2x45,7 cm

8644 040
8033524374564

M

Sliding chopping board
30x54 cm

8643 000
8033524374526

M2

Chopping board
28x48 cm

8643 115
8033524374533

M3

Sliding chopping board
28x48

8643 116
8033524378357

M4

Sliding chopping board
44,4x33,7 cm

8656 001
8051566430826

L2

Twin Chopping board
37x46 cm

8644 003
8033524374540

L3

Twin chopping board
41x41 cm

8644 004
8033524374557

L1

NEW

Twin chopping board
31,7x42,5 cm

8644 041
8051566439171

P1

NEW

Chopping board with
stainless steel colander kit

8644 042
8051566439188

Glass chopping boards

L4



Glass chopping board
23x41 cm

8631 300
8033524374489

L5

Glass chopping board
29x54 cm

8633 300
8033524374496

HDPE chopping boards & kit

N2

HDPE chopping board
27,2x42,5 cm

8657 001
8051566430598

N3

HDPE Twin chopping board
31,7x42,5 cm

8644 101
8051566433254

N4

HDPE Twin chopping board
44,4x31,7 cm

8644 100
8051566430833

P2

Grating kit complete with ring
support and food collection bowl

8159 101
8051566432127

Baskets, colanders and bowls

Baskets, colanders and bowls. Each Foster sinks can easily be enriched with valuable additions that will help you in all your work in the kitchen.

Dishes holders and bowls

O

White bowl
36x30 cm

8152 100
8033524374373

O2

White bowl
41,4x27,2 cm

8153 100
8033524379743

T

St. steel dishes holder
25x35 cm

8100 154
8033524374304

T1

St. steel dishes holder
25x42,5 cm

8100 201
8033524374311

T2

St. steel dishes holder
21,4x37,9 cm

8100 303
8051566430765

U

St. steel dishes holder
25x45 cm

8100 111
8033524375516

U2

St. steel dishes holder
23x47 cm

8100 115
8033524375530

V

St. steel bowl holder
37x45 cm

8100 112
8033524375523

T3

St. steel dishes holder
28x40 cm

8100 280
8033524374328

T4

St. steel dishes holder
25x43 cm

8100 301
8033524374335

W

St. steel dishes holder

8100 331
8033524374342

U3

St. steel dishes holder

8100 040
8033524372683

Baskets for bowls

R

St. steel basket
34x40 cm

8611 000
8033524374441

S

St. steel basket
40x40 cm

8612 000
8033524374465

S1

White basket
40x40 cm

8612 100
8033524374472

X

St. steel basket

8610 000
8033524374434

Colanders

Q

White colander
17x32 cm

8151 100
8033524374366

Z

St. steel colander
25x36 cm

8154 000
8033524374403

Z2

St. steel perforated
pan 21,5x38 cm

8151 000
8051566430857

Z3

St. steel colander

8153 000
8033524374380

δ

St. steel colander

8153 001
8033524374397

Z4

St. steel colander

8154 040
8033524374410

How to read the catalogue (sinks chapter)



Types of installation 1

Many Foster sinks are available in a variety o versions (Standard, Q4, Flush-mount, Flat-edge and Undermount) that can have slightly different dimensions. Therefore we reccomend to check the specifications besides every version.

Right-hand, left-hand and reversible sinks 3

The double code for a single model indicates that both right-hand and left-hand versions are available. The right-hand version (rh) refers to a sink with the bowl (or bigger bowl on models without drainer) on the right. Left-hand versions are identified by the code “lh”. The single code indicates that the sink is reversible, or that only the version shown in the picture or drawing is available.

accessories

A
8647 000

L4
8631 300

Accessories 4

Always striving to blend aesthetics and functionality, Foster devotes special attention to its products’ Accessories. This catalogue places special emphasis on the optional features indicated below each model, to facilitate identification of the proper combinations.

Cabinet 2

By cabinet we mean the smallest kitchen cabinet unit into which the sink can be installed. In some cases a double measure is indicated:
(T) In the models where a double cabinet is indicated, one should consider the larger measure for all installations at the beginning or end of a worktop composition.

Please note: the listed cabinet sizes refer to the bowls’ encumbrance and do to consider the fixing brackets, which can change in any given installation. Please also refer to the kitchen manufacturer’s know-how for specific installations which may require some customization on the cabinets.





Mixer tap holes 5

In the drawings standard tap holes are shown with continuous line. Further possible holes on request, in order to install the automatic waste fitting and the dispenser, are shown with a dashed line. For some models, customization with additional holes can be done with some extra costs.

Essential and sophisticated, GK is a unique sink with refined finishing touches. Every detail is cared for, from the new waste fitting with stainless steel cover to the exclusive matching tap.

undermount page 122

GK

matchings

GK p. 198

Ghost 120 p. 325

S4000 p. 285

GK

features



The **squared vertical edges** match to the soft bottom practical and hygienic ones.
The **diamond design on the bottom** is a touch of refinement ensuring the optimal water flow.

In the flush-mount and flat-edge models, a **remote control** to open the drain without dipping hands into the bowl is also included.

The attention to detail and the minimalist design can also be found in the **original perimetric overflow** that enhances the bowl.

The **inclined containing area** is the jointing element between sink and hob, creating a classy combination, functional in use and in surfaces cleaning.

The **elegant steel cap**, included in all models, closes the drain and leaves no visible residues collected in the basket below.

The GK sinks are equipped with **space-saving drain and siphon** allowing the optimal use of the under-sink space.

suggested mixer taps

GK
(8488 000 - p. 157)

automatic waste fitting

PA
Automatic drain SPACE page 146
8407 108

accessories

N4
8644 100

M4
8656 001

P2
8159 101

T2
8100 303

Z2
8151 000

GK

accessories

GK is a versatile and complete functional centre, thanks to its that make it possible to exploit the space of the sink for all the preparation activities.
Several accessories can be placed both directly on the sink and on the central part of the chopping board, thus making many different working set-ups possible, with a great flexibility of use.

GK

SF

cabinet **90**

finish	EAN	code
brushed	8051566432035	**1401 100**

NEW

st. steel: AISI 304
dimensions: **860x480 mm**
1 bowl: **730x400 mm**
cut-out: 847x467 mm
bowl depth: 195 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard



optional accessories: M4 N4 T2 P2 Z2
optional automatic waste fitting: PA page 146



FT FTS

cabinet **90**

finish	EAN	code
brushed	8051566432028	**1401 000**

NEW

st. steel: AISI 304
dimensions: **860x480 mm**
1 bowl: **730x400 mm**
cut-out FT: see web site
cut-out FTS: 847x467 mm
bowl depth: 195 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard

optional accessories: M4 N4 T2 P2 Z2
optional automatic waste fitting: PA page 146



SF

cabinet **90**

finish	EAN	code
brushed	8051566432059	**1402 100**

NEW

235

st. steel: AISI 304
dimensions: **860x480 mm**
1 bowl: **730x400 mm**
cut-out: 847x467 mm
bowl depth: 235 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard

optional accessories: M4 N4 T2 P2 Z2
optional automatic waste fitting: PA page 146



FT FTS

cabinet **90**

finish	EAN	code
brushed	8051566432042	**1402 000**

NEW

235

st. steel: AISI 304
dimensions: **860x480 mm**
1 bowl: **730x400 mm**
cut-out FT: see web site
cut-out FTS: 847x467 mm
bowl depth: 235 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard

optional accessories: M4 N4 T2 P2 Z2
optional automatic waste fitting: PA page 146



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

GK

SF

cabinet 60	finish	EAN	code
	brushed	8051566432110	**1403 100**

NEW



st. steel: AISI 304
dimensions: **580x480 mm**
1 bowl: **450x400 mm**
cut-out: 567x467 mm
bowl depth: 195 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard

optional accessories: M4 N4 T2 P2 Z2
optional automatic waste fitting: PA page 146





FT FTS

cabinet 60	finish	EAN	code
	brushed	8051566432103	**1403 000**

NEW



st. steel: AISI 304
dimensions: **580x480 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 567x467 mm
bowl depth: 195 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard

optional accessories: M4 N4 T2 P2 Z2
optional automatic waste fitting: PA page 146





Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.



S4001

The evolution of S4000 sinks with new bowls with an even tighter radius, enriched by new drain with stainless steel plug and the exclusive perimetric overflow.

matchings

S4000 p. 202
S4000 Induction p. 258

S4000 p. 326
S4000 Mirror p. 328

S4000 p. 285

S4001

features

Not a mere sink, but an object of pure design. The unmistakable drainer seems to be sculpted in steel, with a result of pure elegance.

The flush-mount and flat-edge sinks feature the standard **automatic waste-fitting**, making it possible to open the drain without having to wet one's hand.

The care for the smallest detail and the minimal design are highlighted also by the original **overflow with perimetral drain**, which gives a touch of preciousness to the bowl.

Features of high level for the S4001 bowls. Thick bowls, deep, squared-out and **with a small radius that makes it easier to clean them.**

The precious Space waste-fitting is a standard feature on all the models. The elegant satin-finish stainless-steel stopper has a grip-hole in the manual version, and is smooth in the automatic one.

The S4001 sinks are equipped with **space-saving waste-fitting and siphon** for a better exploitation of the under-sink cabinet.

suggested mixer taps

Kelvin
(8470 000 - p. 154)

Camillo
(8467 000 - p. 158)

automatic waste fitting

PA
Automatic drain SPACE page 146
8407 108

accessories

L3
8644 004

L4
8631 300

M
8643 000

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042

NEW

P2 **
8159 101



R
8611 000

S
St. steel
8612 000
white
8612 100

T *
8100 154

T1
8100 201

T2 **
8100 303

Z *
8154 000

Z2 **
8151 000

*to use only with L3 chopping board **to use only with N3 chopping board

S4001

Q4

cabinet **90**

finish	EAN	code
brushed	8051566432622	**4416 061** rh
	8051566432639	**4416 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
1 bowl: **710x400 mm**
cut-out: 1140x480 mm
bowl depth: 210 mm
drain: SPACE 3½"
tap hole: 1 standard



optional accessories: L3 L4 M N2 N3 O2 P1 P2 S T1 T2 Z2

FT FTS

cabinet **90**

finish	EAN	code
brushed	8051566432646	**4417 061** rh
	8051566432653	**4417 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1173x513 mm**
1 bowl: **710x400 mm**
cut-out FT: see web site
cut-out FTS: 1160x500 mm
bowl depth: 210 mm
drain: SPACE 3½"
tap hole: 1 standard



optional accessories: L3 L4 N2 N3 O2 P1 P2 S T1 T2 Z2

Q4

cabinet **60-80**(T)

finish	EAN	code
brushed	8051566432578	**4462 061** rh
	8051566432585	**4462 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **340x400 + 170x340 mm**
cut-out: 950x480 mm
bowl depth: 210 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2

FT FTS

cabinet **60-80**(T)

finish	EAN	code
brushed	8051566432592	**4465 061** rh
	8051566432608	**4465 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **983x513 mm**
2 bowls: **340x400 + 170x340 mm**
cut-out FT: see web site
cut-out FTS: 970x500 mm
bowl depth: 210 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard



optional accessories: L4 N2 N3 O2 P1 P2 R T1 T2 Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4001

Q4

cabinet **60**

finish	EAN	code
brushed	8051566432530	**4483 061** rh
	8051566432547	**4483 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: SPACE 3½"
tap hole: 1 standard



optional accessories: L3 L4 M N2 N3 O2 P1 P2 S T1 T2 Z Z2

FT FTS

cabinet **60**

finish	EAN	code
brushed	8051566432554	**4486 061** rh
	8051566432561	**4486 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm
bowl depth: 210 mm
drain: SPACE 3½"
tap hole: 1 standard



optional accessories: L3 L4 N2 N3 O2 P1 P2 S T1 T2 Z Z2

FT FTS

cabinet **80**

finish	EAN	code
brushed	8051566435463	**3127 060**

st. steel: AISI 304
dimensions: **760x450 mm**
1 bowl: **710x400 mm**
cut-out FT: see web site
cut-out FTS: 751x441 mm
bowl depth: 200 mm
drain: SPACE 3½"



optional accessories: L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PA PE page 146

FT FTS

cabinet **60**

finish	EAN	code
brushed	8051566435449	**3125 060**

st. steel: AISI 304
dimensions: **550x450 mm**
1 bowl: **500x400 mm**
cut-out FT: see web site
cut-out FTS: 541x441 mm
bowl depth: 200 mm
drain: SPACE 3½"



optional accessories: L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PA PE page 146

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4001

FT FTS

cabinet **60**

finish	EAN	code
brushed	8051566435432	**3124 060**



st. steel: AISI 304
dimensions: **500x450 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 491x441 mm
bowl depth: 200 mm
drain: SPACE 3½"

optional accessories: L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PA PE page 146

FT FTS

cabinet **45**

finish	EAN	code
brushed	8051566435456	**3126 060**



st. steel: AISI 304
dimensions: **450x450 mm**
1 bowl: **400x400 mm**
cut-out FT: see web site
cut-out FTS: 441x441 mm
bowl depth: 200 mm
drain: SPACE 3½"

optional accessories: L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PA PE page 146

FT FTS

cabinet **40**

finish	EAN	code
brushed	8051566435425	**3123 060**



st. steel: AISI 304
dimensions: **390x450 mm**
1 bowl: **340x400 mm**
cut-out FT: see web site
cut-out FTS: 381x441 mm
bowl depth: 200 mm
drain: SPACE 3½"

optional accessories: L4 N2 N3 O2 P1 P2 R T1 T2 Z2
optional automatic waste fitting: PA PE page 146

FT FTS

cabinet **30**

finish	EAN	code
brushed	8051566435418	**3121 060**



st. steel: AISI 304
dimensions: **220x450 mm**
1 bowl: **170x400 mm**
cut-out FT: see web site
cut-out FTS: 211x441 mm
bowl depth: 170 mm
drain: SPACE 3½"

optional automatic waste fitting: PA PE page 146

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4000

One of the hallmark of the S4000 sink range is the **built-in draining board**, an indispensable addition for a functional and clean kitchen.

undermount page 134

suggested mixer taps

Kelvin
(8470 000 - p. 154)

Camillo
(8467 000 - p. 158)

matchings

S4000 p. 202
S4000 Induction p. 258

S4000 p. 326
S4000 Mirror p. 328

S4000 p. 285

S4000

Q4

cabinet **80**

finish	EAN	code
brushed	8033524374786	**4312 061** rh
	8033524374793	**4312 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **340x400 mm**
cut-out: 1140x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2

FT FTS

cabinet **80**

finish	EAN	code
brushed	8033524374809	**4315 061** rh
	8033524374816	**4315 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1173x513 mm**
2 bowls: **340x400 mm**
cut-out FT: see web site
cut-out FTS: 1160x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 N2 N3 O2 P1 P2 R T1 T2 Z2

Q4

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524374823	**4362 061** rh
	8033524374830	**4362 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **180x340 + 340x400 mm**
cut-out: 950x480 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

accessories

L3
8644 004

L4
8631 300

M
8643 000

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042
NEW

P2 **
8159 101



R
8611 000

S
St. steel
8612 000
white
8612 100

T *
8100 154

T1
8100 201

T2 **
8100 303

Z *
8154 000

Z2 **
8151 000

**to use only with L3 chopping board **to use only with N3 chopping board*

S4000

FT FTS

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524374847	**4365 061** rh
	8033524374854	**4365 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **983x513 mm**
2 bowls: **180x340 + 340x400 mm**
cut-out FT: see web site
cut-out FTS: 970x500 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request



optional accessories: L4 N2 N3 O2 P1 P2 R T1 T2 Z2

Q4

cabinet **90**

finish	EAN	code
brushed	8051566439027	**4382 050**

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **340x400 + 400x340 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2

FT FTS

cabinet **90**

finish	EAN	code
brushed	8051566439072	**4385 050**

st. steel: AISI 304
dimensions: **873x513 mm**
2 bowls: **340x400 + 400x340 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request



optional accessories: L4 N2 N3 O2 P1 P2 R T1 T2 Z2

Q4

cabinet **60**

finish	EAN	code
brushed	8033524374892	**4383 061** rh
	8033524374908	**4383 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L3 L4 M N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S4000

FT FTS

cabinet **60**

finish	EAN	code
brushed	8033524374946	**4386 061** rh
	8033524374953	**4386 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Q4

cabinet **45**

finish	EAN	code
brushed	8033524374861	**4381 061** rh
	8033524374878	**4381 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **340x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2

FT FTS

cabinet **45**

finish	EAN	code
brushed	8033524374915	**4384 061** rh
	8033524374922	**4384 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **340x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 N2 N3 O2 P1 P2 R T1 T2 Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

NOTE:
all S4000 sinks (codes ** 06 *) are available until stock exhaustion. They will be replaced by codes **** 05 * that feature the exclusive new perimetric overflow. The other features remain unchanged.**

S4000 includes stylish household appliances with a high technological content.

Quadra

The Quadra washing solutions are perfectly in tune with the minimalist trends sweeping through the interior design world. **Pure squared lines coupled with the sophisticated finishes of the Foster steels** are the ingredients of the wide range of sinks and bowls, which can be fitted overmount (flat-edge and Q4-edge), flush-mount and undermount.

suggested mixer taps

Tre Alto
(8468 000 - p. 165)

1/2 Circle
(8480 000 - p. 162)

undermount page 124

Quadra

features



In the Quadra sinks **the bottom corners have a radius to make cleaning operations easier,** while the vertical ones, with their rigorous "zero radius" ensure the minimal design.

The water drainage at the bottom of the bowl is an important feature. The Quadra sinks feature an **elegant diamond-shape crease at the bottom** that makes the drainage of water easier.

The **large tap area** available on many models makes it possible to customise the sink with double-hole taps, soap dispensers or the remote control of the automatic waste-fitting.

matchings

Quadra p. 212
S4000 Domino p. 210

Q inox p. 338

accessories

L1 8644 041 NEW

L3 8644 004

L4 8631 300

N2 8657 001

N3 8644 101

O2 8153 100

P1 8644 042 NEW

P2 ** 8159 101

R 8611 000

S St. steel 8612 000 white 8612 100

T * 8100 154

T1 8100 201

T2 ** 8100 303

Z * 8154 000

Z2 ** 8151 000

**to use only with L3 chopping board **to use only with N3 chopping board*

Quadra

SF

cabinet **60***

finish	EAN	code
brushed	8033524370665	**1211 090**

st. steel: AISI 304
dimensions: **1079x479 mm**
1 bowl: **470x400 mm**
cut-out: 1059x459 mm
bowl depth: 200 mm
drain: 3½"



tight radius

* the inclined drainer can interfere with the cabinet. A cabinet of 120 cm is needed if the worktop's thickness is less than 30 mm.

optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

FT FTS

cabinet **60***

finish	EAN	code
brushed	8033524370641	**1210 090**

st. steel: AISI 304
dimensions: **1064x464 mm**
1 bowl: **470x400 mm**
cut-out FT: see web site
cut-out FTS: 1047x447 mm
bowl depth: 200 mm
drain: 3½"



tight radius

* the inclined drainer can interfere with the cabinet. A cabinet of 120 cm is needed if the worktop's thickness is less than 30 mm.

optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **60***

finish	EAN	code
brushed	8033524370672	**1213 091** rh
	8033524370689	**1213 092** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1000x510 mm**
1 bowl: **470x400 mm**
cut-out: 980x495 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



tight radius

* the inclined drainer can interfere with the cabinet. A cabinet of 90 cm is needed if the worktop's thickness is less than 30 mm.

optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

FT FTS

cabinet **60***

finish	EAN	code
brushed	8033524370771	**1223 091** rh
	8033524370788	**1223 092** lh

Picture show rh version

st. steel: AISI 304
dimensions: **985x503 mm**
1 bowl: **470x400 mm**
cut-out FT: see web site
cut-out FTS: 968x486 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



tight radius

* the inclined drainer can interfere with the cabinet. A cabinet of 90 cm is needed if the worktop's thickness is less than 30 mm.

optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra

FT FTS

cabinet **80***

finish	EAN	code
brushed	8051566434664	**1220 090**

st. steel: AISI 304
dimensions: **1000x440 mm**
1 bowl: **675x400 mm**
cut-out FT: see web site
cut-out FTS: 987x427 mm
bowl depth: 200 mm
drain: 3½"



* the inclined drainer can interfere with the cabinet. A cabinet of 120 cm is needed if the worktop's thickness is less than 30 mm.

optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PA PE page 146

FT FTS

cabinet **90**

finish	EAN	code
brushed	8033524370740	**1218 090**

st. steel: AISI 304
dimensions: **864x464 mm**
1 bowl: **800x400 mm**
cut-out FT: see web site
cut-out FTS: 847x447 mm
bowl depth: 200 mm
drain: 3½"



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **90**

finish	EAN	code
brushed	8033524370764	**1219 090**

st. steel: AISI 304
dimensions: **840x510 mm**
1 bowl: **761x400 mm**
cut-out: 820x495 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

FT FTS

cabinet **90**

finish	EAN	code
brushed	8033524370795	**1229 090**

st. steel: AISI 304
dimensions: **825x503 mm**
1 bowl: **761x400 mm**
cut-out FT: see web site
cut-out FTS: 808x486 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra

SF

cabinet **90**

finish	EAN	code
brushed	8033524378487	**1250 090**

st. steel: AISI 304
dimensions: **839x479 mm**
1 bowl: **710x400 mm**
cut-out: 819x459 mm
bowl depth: 212 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

SF

cabinet **80**

finish	EAN	code
brushed	8033524373338	**1209 090**

st. steel: AISI 304
dimensions: **804x510 mm**
2 bowls: **340x400 mm**
cut-out: 784x495 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L1 L4 N2 N3 O2 P1 P2 R T1 T2 Z2

FT FTS

cabinet **80**

finish	EAN	code
brushed	8033524373314	**1208 090**

st. steel: AISI 304
dimensions: **789x503 mm**
2 bowls: **340x400 mm**
cut-out FT: see web site
cut-out FTS: 772x486 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L1 L4 N2 N3 O2 P1 P2 R T1 T2 Z2

SF

cabinet **60**

finish	EAN	code
brushed	8033524370733	**1216 090**

st. steel: AISI 304
dimensions: **579x510 mm**
1 bowl: **500x400 mm**
cut-out: 559x495 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Quadra

FT FTS

cabinet **60**

finish	EAN	code
brushed	8033524370719	**1215 090**

st. steel: AISI 304
dimensions: **564x464 mm**
1 bowl: **500x400 mm**
cut-out FT: see web site
cut-out FTS: 547x447 mm
bowl depth: 200 mm
drain: 3½”



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **45**

finish	EAN	code
brushed	8033524378463	**1205 090**

st. steel: AISI 304
dimensions: **479x510 mm**
1 bowl: **400x400 mm**
cut-out: 459x495 mm
bowl depth: 200 mm
drain: **automatic** 3½”
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

FT FTS

cabinet **45**

finish	EAN	code
brushed	8033524370696	**1214 090**

st. steel: AISI 304
dimensions: **464x464 mm**
1 bowl: **400x400 mm**
cut-out FT: see web site
cut-out FTS: 447x447 mm
bowl depth: 200 mm
drain: 3½”



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

A refined, minimal match: Quadra bowl and S4000 induction hob.

Quadra Q4

Q4 | cabinet **40*** | finish | EAN | code

finish	EAN	code
brushed	8033524375196	**1246 091** rh
	8033524375202	**1246 092** lh

Picture show lh version

st. steel: AISI 304
dimensions: **600x520 mm**
1 bowl: **270x400 mm**
cut-out: 580x500 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



* the inclined drainer can interfere with the cabinet. A cabinet of 60 cm is needed if the worktop's thickness is less than 30 mm.

optional accessories: L4 N2 O2 T1

Q4 | cabinet **60** | finish | EAN | code

finish	EAN	code
brushed	8051566430246	**1243 090**

st. steel: AISI 304
dimensions: **560x520 mm**
1 bowl: **500x400 mm**
cut-out: 540x500 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Q4 | cabinet **40** | finish | EAN | code

finish	EAN	code
brushed	8033524375189	**1241 090**

st. steel: AISI 304
dimensions: **400x520 mm**
1 bowl: **340x400 mm**
cut-out: 380x500 mm
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L4 N2 N3 O2 P1 P2 T1 T2 Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The Quadra models with Q4 edge match perfectly with the Domino S4000 products, both as depth and edge thickness, thus making seamless combinations of cooking and washing products possible.

Quadra 7"

FT FTS

cabinet	finish	EAN	code
90	brushed	8051566430239	**1218 097**

st. steel: AISI 304
dimensions: **864x464 mm**
1 bowl: **800x400 mm**
cut-out FT: see web site
cut-out FTS: 847x447 mm
bowl depth: 200 mm
drain: **7”**



Available aslo in undermount version, see page 127

optional accessories: L3 L4 N2 O2 S T T1 Z



The 7” waste fitting features a bigger dimension than standard ones. The drain offers a large and deep basket for food waste collection.

Standard fittings: fixing brackets, gasket, ***7" waste fitting****, overflow. Packing: single carton box.*

Master

Master is the new solution combining **high-end, tight-radius bowls with a perfectly squared-out design**. The ample tap area with which they are equipped makes it possible to personalise them with double-hole taps, soap dispensers or remote control for automatic waste fittings.

suggested mixer taps

Master
(8493 000 - p. 164)

Minimal plus
(8474 100 - p. 155)

matchings



S4000 p. 202

Master p. 334

S4000 p. 285

Master

FT FTS

cabinet **80**

finish	EAN	code
brushed	8051566438297 8051566438303	**1252 061** rh **1252 062** lh

Picture show lh version

NEW

st. steel: AISI 304
dimensions: **1160x520 mm**
2 bowls: **340x400 mm**
cut-out FT: see web site
cut-out FTS: 1147x507 mm
bowl depth: 205 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L4 N2 N3 O2 P1 P2 R T1 T2 Z2

FT FTS

cabinet **80**

finish	EAN	code
brushed	8051566438273 8051566438280	**1251 061** rh **1251 062** lh

Picture show lh version

NEW

st. steel: AISI 304
dimensions: **1000x520 mm**
2 bowls: **400x400 + 180x400 mm**
cut-out FT: see web site
cut-out FTS: 987x507 mm
bowl depth: 205 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

FT FTS

cabinet **60**

finish	EAN	code
brushed	8051566438259 8051566438266	**1250 061** rh **1250 062** lh

Picture show lh version

NEW

st. steel: AISI 304
dimensions: **860x520 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 847x507 mm
bowl depth: 205 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

accessories

L1
8644 041
NEW

L3
8644 004



L4
8631 300

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042
NEW

P2 **
8159 101



R
8611 000

S
St. steel
8612 000
white
8612 100

T *
8100 154

T1
8100 201

T2 **
8100 303

Z *
8154 000

Z2 **
8151 000

*to use only with L3 chopping board **to use only with N3 chopping board

KE

KE sinks feature clear-cut, distinctive designs: a handy raised-edge drainer and large, spacious bowls (200 mm) edged with an inclined drip-guard that prevents over-spill.

suggested mixer taps

KE
(8492 000 - p. 167)

Play
(8487 000 - p. 161)

undermount page 130

KE

features

The KE collection stands out for its **linear design**, perfect for an easy match in any modern kitchen.

The KE collection is rich in solutions, both with double-bowl sinks and ones with **large single bowls**, very practical to wash large dishes and pots.

The bowls reach **21 cm of depth**, with a squared-out shape that ensures a larger capacity. The corners' radius makes it very easy to clean them.

matchings

KE p. 218

KE p. 332

KE p. 295

accessories

L3
8644 004

L4
8631 300

M
8643 000

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042

NEW

P2 **
8159 101

R
8611 000

S
St. steel
8612 000
white
8612 100

T *
8100 154

T1
8100 201

T2 **
8100 303

Z *
8154 000

Z2 **
8151 000

**to use only with L3 chopping board **to use only with N3 chopping board*

KE

SF

cabinet **90**

finish	EAN	code
brushed	8033524379231	**2211 061** rh
	8033524379248	**2211 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1173x513 mm**
1 bowl: **710x400 mm**
cut-out: 1140x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: L3 L4 M N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **80**

finish	EAN	code
brushed	8033524378128	**2263 061** rh
	8033524378135	**2263 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **983x513 mm**
1 bowl: **500x400 mm**
cut-out: 950x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: L3 L4 M N2 N3 O2 P1 P2 S T T1 T2 Z Z2
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **60-80(T)**

finish	EAN	code
brushed	8033524378432	**2297 061** rh
	8033524378449	**2297 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **983x513 mm**
2 bowls: **180x340 + 340x400 mm**
cut-out: 950x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **80**

finish	EAN	code
brushed	8033524379286	**2287 060**

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **710x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 M N2 N3 O2 P1 P2 S T1 T2 Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KE

SF

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566434077	**2283 060**

st. steel: AISI 304
dimensions: **873x513 mm**
2 bowls: **340x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2

SF

cabinet **60**

finish	EAN	code
brushed	8051566432363	**2280 061** rh
	8051566432370	**2280 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L3 L4 M N2 N3 O2 P1 P2 S T T1 T2 Z Z2

SF

cabinet **45-60**(T)

finish	EAN	code
brushed	8033524379255	**2281 061** rh
	8033524379262	**2281 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **340x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: L4 M N2 N3 O2 P1 P2 R T1 T2 Z2
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The picture shows the matching with the original KE hob with **white cast-iron grids**.

KE Q4

Sinks with a **minimal design**, made more precious by the Q4 edge. A solution of great practicality thanks to the spaciousness of the bowls and the customisable tap area.

suggested mixer taps

KE White
(8491 010 - p. 165)

Play
(8487 000 - p. 161)

matchings

S4000 Domino gas p. 210
S4000 Domino Induction p. 266

accessories

L1
8644 041
NEW

L3
8644 004



L4
8631 300

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042
NEW

P2 **
8159 101

R
8611 000

S
St. steel
8612 000
white
8612 100

T *
8100 154



T1
8100 201

T2 **
8100 303

Z *
8154 000

Z2 **
8151 000

*to use only with L3 chopping board **to use only with N3 chopping board

KE Q4

Q4 | cabinet **80**

finish	EAN	code
brushed	8033524374779	**2278 060**

st. steel: AISI 304
dimensions: **770x520 mm**
1 bowl: **710x400 mm**
cut-out: 750x500 mm
bowl depth: 195 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Q4 | cabinet **80**

finish	EAN	code
brushed	8051566438440	**2279 060**

NEW

st. steel: AISI 304
dimensions: **770x520 mm**
2 bowls: **340x400 mm**
cut-out: 750x500 mm
bowl depth: 195 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 N2 N3 O2 P1 P2 S T1 T2 Z2

Q4 | cabinet **60**

finish	EAN	code
brushed	8033524374762	**2274 060**

st. steel: AISI 304
dimensions: **510x520 mm**
1 bowl: **450x400 mm**
cut-out: 490x500 mm
bowl depth: 195 mm
drain: **automatic** 3½"
tap hole: 2 standard



optional accessories: L1 L3 L4 N2 N3 O2 P1 P2 S T T1 T2 Z Z2

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The Q4 KE perfectly match the S4000 Domino solutions, both as depth and edge thickness, thus making seamless combinations of cooking and washing products possible.

Triplo Invaso



Professional in everything: in dimensions and practicality. The new single-bowl model improves even more the easiness of use of the sliding accessories.

undermount page 136

suggested mixer taps

Magnum
(8484 000 - p. 160)

Arsenio
(8471 000 - p. 166)

matchings

S4000 p. 202

Triplo Invaso

Q4

cabinet	finish	EAN	code
90	brushed	8051566439232	**1490 060**



NEW

st. steel: AISI 304
dimensions: **860x520 mm**
1 bowl: **710x400 mm**
cut-out: 840x500 mm
bowl depth: 250 mm
drain: **automatic SPACE** 3½"
tap hole: 2 standard

optional accessories: L4 M2 M3 N2 O2 S U2



Q4

cabinet	finish	EAN	code
90	brushed	8033524379293 8033524378838	**1485 061** rh **1485 062** lh



Picture show lh version

st. steel: AISI 304
dimensions: **860x520 mm**
2 bowls: **500x400 mm+233x335 mm**
cut-out: 840x500 mm
bowl depth: 250 mm - 200 mm
drain: **automatic** 3½"
tap hole: 2 standard

optional accessories: L4 M2 M3 N2 O2 S U2 T4 Z





Triplo Invaso sink in **Q4 Version** is 52 cm deep, for a perfect matching with all S4000 gas cooker hobs.

accessories

L4
8631 300

M2
8643 115

M3
8643 116

N2
8657 001

O2
8153 100

S
St. steel
8612 000
white
8612 100

U2
8100 115

T4
8100 301

Z
8154 000

S3000

A successful collection thanks to its sober elegance. The wide range of available versions - that vary in terms of size and type of installation - makes the S3000 an evergreen series that can be combined with all Foster cooker hobs.

suggested mixer taps

Flexo
(8456 000 - p. 159)

Michy
(8489 000 - p. 173)

undermount page 138

S3000

STD

cabinet **90**

finish	EAN	code
brushed	8033524370801	**1312 061** rh
	8033524370818	**1312 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **400x400 + 340x400 mm**
cut-out: 1140x480 mm
bowl depth: 215 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A G L4 L5 M N2 N3 O2 P1 P2 R S T2 T4

SF

cabinet **90**

finish	EAN	code
brushed	8033524370849	**1318 061** rh
	8033524370856	**1318 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1173x513 mm**
2 bowls: **400x400 + 340x400 mm**
cut-out: 1140x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A G L4 L5 M N2 N3 O2 P1 P2 R S T2 T4

FT FTS

cabinet **90**

finish	EAN	code
brushed	8033524370825	**1315 061** rh
	8033524370832	**1315 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1173x513 mm**
2 bowls: **400x400 + 340x400 mm**
cut-out FT: see web site
cut-out FTS: 1160x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A G L4 N2 N3 O2 P1 P2 R S T2 T4

accessories

A
8647 000



L4
8631 300

L5
8633 300

G
8646 000

M
8643 000

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042

NEW

P2 **
8159 101

Q
8151 100



R
8611 000

S
St. steel
8612 000
white
8612 100

T2 **
8100 303



T4
8100 301

*to use only with L3 chopping board **to use only with N3 chopping board

S3000

STD

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524370870	**1363 061** rh
	8033524370887	**1363 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **340x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 215 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3rd hole on request



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 Q R T2 T4
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524370931	**1369 061** rh
	8033524370948	**1369 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **983x513 mm**
2 bowls: **340x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3rd hole on request



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 Q R T2 T4
optional automatic waste fitting: PR PQ PC page 147

FT FTS

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524370900	**1366 061** rh
	8033524370917	**1366 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **983x513 mm**
2 bowls: **340x400 + 150x300 mm**
cut-out FT: see web site
cut-out FTS: 970x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3rd hole on request



optional accessories: A L4 N2 N3 O2 P1 P2 Q R T2 T4
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet **90**

finish	EAN	code
brushed	8033524370979	**1382 062** lh

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **400x400 + 340x400 mm**
cut-out: 840x480 mm
bowl depth: 215 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A G L4 L5 M N2 N3 O2 P1 P2 R S T2 T4

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S3000

SF

cabinet **90**

finish	EAN	code
brushed	8033524371037	**1388 062** lh

st. steel: AISI 304
dimensions: **873x513 mm**
2 bowls: **400x400 + 340x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A G L4 L5 M N2 N3 O2 P1 P2 R S T2 T4

FT FTS

cabinet **90**

finish	EAN	code
brushed	8033524371006	**1385 062** lh

st. steel: AISI 304
dimensions: **873x513 mm**
2 bowls: **400x400 + 340x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A G L4 N2 N3 O2 P1 P2 R S T2 T4

STD

cabinet **60**

finish	EAN	code
brushed	8033524370955	**1381 061** rh
	8033524370962	**1381 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **400x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: G L4 L5 M N2 N3 O2 P1 P2 S T2 T4
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **60**

finish	EAN	code
brushed	8033524371013	**1387 061** rh
	8033524371020	**1387 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **400x400 mm**
cut-out: 840x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: G L4 L5 M N2 N3 O2 P1 P2 S T2 T4
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S3000

FT FTS

cabinet **60**

finish	EAN	code
brushed	8033524370986	**1384 061** rh
	8033524370993	**1384 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **400x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: G L4 N2 N3 O2 P1 P2 S T2 T4
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet **80**

finish	EAN	code
brushed	8033524373390	**1372 060**

st. steel: AISI 304
dimensions: **790x500 mm**
2 bowls: **340x400 mm**
cut-out: 770x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 R T2 T4

FT FTS

cabinet **60**

finish	EAN	code
brushed	8033524370542	**1116 061** rh
	8033524370559	**1116 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **554x454 mm**
1 bowl: **503x400 mm**
cut-out FT: see web site
cut-out FTS: 541x441 mm
bowl depth: 200 mm
drain: 3½"



optional accessories: L4 N2 N3 O2 P1 P2 S T2
optional automatic waste fitting: PR PQ PC page 147

FT FTS

cabinet **45**

finish	EAN	code
brushed	8033524370504	**1114 061** rh
	8033524370511	**1114 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **454x454 mm**
1 bowl: **400x400 mm**
cut-out FT: see web site
cut-out FTS: 441x441 mm
bowl depth: 200 mm
drain: 3½"



optional accessories: L4 N2 N3 O2 P1 P2 S T2
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S3000

FT	FTS	cabinet	finish	EAN	code
		40	brushed	8033524370580 8033524370597	**1117 061** rh **1117 062** lh

Picture show rh version





st. steel:	AISI 304
dimensions:	**394x454 mm**
1 bowl:	**340x400 mm**
cut-out FT:	see web site
cut-out FTS:	381x441 mm
bowl depth:	200 mm
drain:	3½"

optional accessories: L4 N2 N3 O2 P1 P2 R T2
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

All the practicality of the S3000 sinks, with its ample and deep bowls and the elegant drainer. In the picture, the flush-mount version installed as drop-in (FTS).

Foster Marine

The salt-rich atmospheres, typical of sea-shore environments, as well as the ever more aggressive detergents, are the worst enemies of steel and can cause, over time, corrosive phenomena even on stainless steel.

From the steel specialists, today **Foster Marine** is born.

The new collection of sinks and cooker hobs uses **AISI316** steel, a material of superior quality normally used in ships' manufacturing, which guarantees **the best possible resistance to the corrosive effects of acids contained in food, in salt-rich atmospheres and in detergents**.

matchings

Marine p. 222

The elegant design of the FM series, now proposed with the new AISI316 steel and the flat-edge solution. The Marine sinks can be matched with the Gamma 3 ways tap (third way for filtered water), which is also made of **AISI316 steel**.

suggested mixer taps

Gamma 3 vie
(8496 100 - p. 168)

NYC
(8486 000 - p. 169)

features



The Marine sinks are equipped with a **pre-installed gasket** which makes the installation quick and easy.

accessories

L4
8631 300

M
8643 000

N2
8657 001

Q
8151 100

R
8611 000

T4
8100 301

Marine

SF

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566438235	**1978 961** rh
	8051566438242	**1978 962** lh

Picture show lh version

NEW

st. steel: **AISI 316**
dimensions: **1173x513 mm**
2 bowls: **362,5x400 mm**
cut-out: 1140x480 mm
bowl depth: 188 mm
drain: 3½"
pre-installed gasket
tap hole: 1 standard - 2nd hole on request

optional accessories: L4 M N2 R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

SF

cabinet **60-80**(T)

finish	EAN	code
brushed	8051566439256	**1977 961** rh
	8051566439263	**1977 962** lh

Picture show lh version

NEW

st. steel: **AISI 316**
dimensions: **983x513 mm**
2 bowls: **362,5x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 188 mm
drain: 3½"
pre-installed gasket
tap hole: 1 standard - 2nd and 3rd hole on request

optional accessories: L4 M N2 Q R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

SF

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566438419	**1976 960**

NEW

st. steel: **AISI 316**
dimensions: **873x513 mm**
2 bowls: **362,5x400 mm**
cut-out: 840x480 mm
bowl depth: 180 mm
drain: 3½"
pre-installed gasket
tap hole: 1 standard

optional accessories: L4 M N2 R T4



SF

cabinet **45**

finish	EAN	code
brushed	8051566438396	**1975 961** rh
	8051566438402	**1975 962** lh

Picture show lh version

NEW

st. steel: **AISI 316**
dimensions: **873x513 mm**
1 bowl: **362,5x400 mm**
cut-out: 840x480 mm
bowl depth: 188 mm
drain: 3½"
pre-installed gasket
tap hole: 1 standard - 2nd hole on request

optional accessories: L4 M N2 R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KS

KS sinks feature **clear-cut, distinctive designs**: a handy raised-edge drainer and large, spacious basins edged with an inclined drip-guard that prevents over-spill.

suggested mixer taps

Lorenzo
(8466 000 - p. 170)

NYC
(8486 000 - p. 169)

KS

features

The KS sinks stand out for their modern and linear design and the **capacious bowls, very versatile and practical to use**.

Every model of the KS series is available also in the **Microfoster anti-scratch version**.

The 2129 060 sink is **the natural match for the KS Domino cooking** solutions (see page 228)

matchings

KS p. 224

KS Lux p. 342
KS 90 p. 344

KS p. 298

accessories

A
8647 000

E
8655 000

L4
8631 300

L5
8633 300

M
8643 000

N2
8657 001

N3
8644 101

O2
8153 100

P1
8644 042

NEW

P2**
8159 101

Q
8151 100

R
8611 000

S
St. steel
8612 000
white
8612 100

T2**
8100 303

T4
8100 301

***to use only with N3 chopping board*

KS

STD

cabinet **80**

finish	EAN	code
brushed	8033524373420	**2112 061** rh
	8033524373437	**2112 062** lh
microfoster	8033524376445	**2112 461** rh
	8033524376452	**2112 462** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **340x400 mm**
cut-out: 1140x480 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 R T2 T4

STD

cabinet **100**

finish	EAN	code
brushed	8033524379347	**2173 060**
microfoster	8033524379354	**2173 460**

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **340x400 mm**
1 bowl: **150x300 mm**
cut-out: 950x480 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 Q R T2 T4

STD

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524375226	**2163 061** rh
	8033524375233	**2163 062** lh
microfoster	8033524376469	**2163 461** rh
	8033524376476	**2163 462** lh

Picture show rh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **340x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3nd hole on request



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 Q R T2 T4
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8033524373468	**2182 060**
microfoster	8033524376506	**2182 460**

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **340x400 mm**
cut-out: 840x480 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 R T2 T4

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

KS

STD

cabinet **60**

finish	EAN	code
brushed	8051566432356	**2180 061** rh
	8051566435401	**2180 062** lh
microfoster	8051566438198	**2180 461** rh
	8051566438204	**2180 462** lh

NEW

Picture show rh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard



optional accessories: E L4 L5 M N2 N3 O2 P1 P2 S T2 T4

STD

cabinet **45**

finish	EAN	code
brushed	8033524373444	**2181 061** rh
	8033524373451	**2181 062** lh
microfoster	8033524376483	**2181 461** rh
	8033524376490	**2181 462** lh

Picture show rh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **340x400 mm**
cut-out: 840x480 mm
bowl depth: 200 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: A L4 L5 M N2 N3 O2 P1 P2 R T2 T4
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet **30**

finish	EAN	code
brushed	8051566435395	**2129 060**

st. steel: AISI 304
dimensions: **290x500 mm**
1 bowl: **180x340 mm**
cut-out: 270x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

A large bowl (45x40 cm) plus drainer. The ideal configuration in little room, practical to wash bulky pots and pans. This kind of sink, already available in many of the Foster series, is now available also for the KE and KS series.

FM

A range of sinks of pure and essential design. The great skill of Foster in stainless steel processing allows to combine both **tight radius and deep bowls**, typical of the best welded sinks, and **the sturdyness of the seamless solutions**.

suggested mixer taps

Lorenzo
(8466 000 - p. 170)

NYC
(8486 000 - p. 169)

matchings



Veronika p. 238

accessories

L4
8631 300

M
8643 000

N2
8657 001

Q
8151 100



R
8611 000

T4
8100 301

FM

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566435197	**1972 061** rh
	8051566435203	**1972 062** lh
microfoster	8051566435227	**1972 461** rh
	8051566435234	**1972 462** lh
design	8051566435258	**1972 761** rh
	8051566435265	**1972 762** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **362,5x400 mm**
cut-out: 1140x480 mm
bowl depth: 188 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: L4 M N2 R T4
optional automatic waste fitting: PR PQ PC page 147

Model which cannot be welded into stainless steel worktops

STD

cabinet **60-80**(T)

finish	EAN	code
brushed	8051566435289	**1973 061** rh
	8051566435296	**1973 062** lh
microfoster	8051566435319	**1973 461** rh
	8051566435326	**1973 462** lh
design	8051566435340	**1973 761** rh
	8051566435357	**1973 762** lh

Picture show lh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **362,5x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 188 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3nd hole on request



optional accessories: M N2 Q R T4
optional automatic waste fitting: PR PQ PC page 147

Model which cannot be welded into stainless steel worktops

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566435364	**1974 060**
microfoster	8051566435371	**1974 460**
design	8051566435388	**1974 760**

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **362,5x400 mm**
cut-out: 840x480 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard



optional accessories: L4 M N2 R T4

STD

cabinet **45**

finish	EAN	code
brushed	8051566435111	**1971 061** rh
	8051566435128	**1971 062** lh
microfoster	8051566435142	**1971 461** rh
	8051566435159	**1971 462** lh
design	8051566436057	**1971 761** rh
	8051566435173	**1971 762** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **362,5x400 mm**
cut-out: 840x480 mm
bowl depth: 188 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: L4 M N2 R T4
optional automatic waste fitting: PR PQ PC page 147

Model which cannot be welded into stainless steel worktops

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

F300

The classic design of the 3000 Series is proposed in a new version with slightly less deep bowls and larger radiuses. All the Foster elegance in a product with exceptional value for money.

suggested mixer taps

Beta
(8490 000 - p. 174)

Luisa
(8482 000 - p. 170)

matchings

Elettra p. 243

accessories

A
8647 000

L4
8631 300

M
8643 000

O2
8153 100

N2
8657 001

Q
8151 100

R
8611 000

T4
8100 301

F300

STD

cabinet **90**

finish	EAN	code
brushed	8051566438365	**1354 061** rh
	8051566438372	**1354 062** lh

NEW

362

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **362,5x400 mm**
cut-out: 1140x480 mm
bowl depth: 185 mm
drain: 3½”
tap hole: 1 standard

optional accessories: L4 M N2 O2 R T4



STD

cabinet **60**

finish	EAN	code
brushed	8051566438358	**1353 061** rh
	8051566439218	**1353 062** lh

NEW

Picture show lh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **340x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 185 mm
drain: 3½”
tap hole: 1 standard - 2nd and 3nd hole on request

optional accessories: A M N2 O2 Q R T4
optional automatic waste fitting: PR PQ PC page 147



STD

cabinet **90**

finish	EAN	code
brushed	8051566438341	**1352 060**

NEW

362

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **362,5x400 mm**
cut-out: 840x480 mm
bowl depth: 185 mm
drain: 3½”
tap hole: 1 standard

optional accessories: L4 M N2 O2 R T4



STD

cabinet **45**

finish	EAN	code
brushed	8051566438327	**1351 061** rh
	8051566438334	**1351 062** lh

NEW

362

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **362,5x400 mm**
cut-out: 840x480 mm
bowl depth: 185 mm
drain: 3½”
tap hole: 1 standard

optional accessories: L4 M N2 O2 R T4



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Elettra

Linear design and capacious tanks. The new series of sinks completes the Elettra collection in line with the concept of functionality and practicality.

suggested mixer taps

Luisa
(8482 000 - p. 170)

Elettra
(8476 000 - p. 176)

matchings



Elettra p. 243

accessories

A
8647 000

L4
8631 300

M
8643 000

O2
8153 100

N2
8657 001

Q
8151 100

R
8611 000

T4
8100 301

Elettra

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566438525	**5812 061** rh
	8051566438532	**5812 062** lh

NEW

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **341x400 mm**
cut-out: 1140x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: A L4 M N2 O2 R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

STD

cabinet **60**

finish	EAN	code
brushed	8051566438679	**5197 061** rh
	8051566438686	**5197 062** lh

NEW

Picture show lh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **341x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3nd hole on request

optional accessories: A L4 M N2 O2 Q R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8051566438549	**5886 060**

NEW

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **341x400 mm**
cut-out: 840x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard

optional accessories: A L4 M N2 O2 R T4



Model which cannot be welded into stainless steel worktops

STD

cabinet **45**

finish	EAN	code
brushed	8051566438488	**5186 061** rh
	8051566438495	**5186 062** lh

NEW

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **341x400 mm**
cut-out: 840x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: A L4 M N2 O2 R T4
optional automatic waste fitting: PR PQ PC page 147



Only taps with max ø 45 mm base footprint are installable

Model which cannot be welded into stainless steel worktops

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Big Bowl

Foster's strength: the construction of a "single moulded" sink that competes with the design, quality and sturdiness of welded products.

undermount page 141

suggested mixer taps

Spring
(8472 000 - p. 159)

Luisa
(8482 000 - p. 170)

matchings

Veronika p. 238

Big Bowl

STD

cabinet **90**

finish	EAN	code
brushed	8033524375943	**1512 201** rh
	8033524375950	**1512 202** lh
microfoster	8033524376261	**1512 401** rh
	8033524376278	**1512 402** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **450x400 + 275x400 mm**
cut-out: 1140x480 mm
bowl depth: 160 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3nd hole on request



optional accessories: C E L4 M N2 S T3 T4
optional automatic waste fitting: PR PQ PC page 147

SF

cabinet **90**

finish	EAN	code
brushed	8033524379217	**1076 061** rh
	8033524379224	**1076 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1173x513 mm**
2 bowls: **450x400 + 275x400 mm**
cut-out: 1140x480 mm
bowl depth: 160 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3nd hole on request



optional accessories: C E L4 M N2 S T3 T4
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet **60**

finish	EAN	code
brushed	8033524375981	**1513 201** rh
	8033524375998	**1513 202** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1160x500 mm**
1 bowl: **450x400 mm**
cut-out: 1140x480 mm
bowl depth: 195 mm
drain: 3½" - the overflow is outside the bowl
tap hole: 1 standard - 2nd hole on request



optional accessories: E L4 M N2 S T4
optional automatic waste fitting: PR PQ PC page 147

accessories

C
8653 000

E
8655 000

L4
8631 300

M
8643 000

N2
8657 001

Q
8151 100

S
St. steel
8612 000
white
8612 100

T3
8100 280

T4
8100 301

Big Bowl

STD

cabinet **90**

finish	EAN	code
brushed	8033524371167	**1562 001** rh
	8033524371174	**1562 002** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **450x400 + 275x400 mm**
cut-out: 840x480 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: C E L4 M N2 S T3 T4
optional automatic waste fitting: PR PQ PC page 147



SF

cabinet **90**

finish	EAN	code
brushed	8033524379187	**1072 061** rh
	8033524379194	**1072 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **873x513 mm**
2 bowls: **450x400 + 275x400 mm**
cut-out: 840x480 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: C E L4 M N2 S T3 T4
optional automatic waste fitting: PR PQ PC page 147



STD

cabinet **60**

finish	EAN	code
brushed	8033524376001	**1561 201** rh
	8033524376018	**1561 202** lh
microfoster	8033524373277	**1561 401** rh
	8033524373284	**1561 402** lh

Picture show rh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: E L4 M N2 S T4
optional automatic waste fitting: PR PQ PC page 147



SF

cabinet **60**

finish	EAN	code
brushed	8033524379156	**1071 061** rh
	8033524379163	**1071 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: E L4 M N2 S T4
optional automatic waste fitting: PR PQ PC page 147



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Big Bowl

STD | cabinet **60**

finish	EAN	code
brushed	8033524375967	**1361 261** rh
	8033524375974	**1361 262** lh

Picture show rh version

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **275x400 + 150x300 mm**
cut-out: 840x480 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: C Q T3 T4
optional automatic waste fitting: PR PQ PC page 147



STD | cabinet **60**

finish	EAN	code
brushed	8033524371082	**1511 001** rh
	8033524371099	**1511 002** lh

Picture show lh version

st. steel: AISI 304
dimensions: **590x500 mm**
1 bowl: **450x400 mm**
cut-out: 570x480 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: E L4 N2 S T4
optional automatic waste fitting: PR PQ PC page 147



STD | cabinet **60**

finish	EAN	code
brushed	8033524379323	**1510 061** rh
	8033524379330	**1510 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **590x500 mm**
2 bowls: **275x400 + 150x300 mm**
cut-out: 570x480 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard

optional accessories: C Q T3 T4



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

The main feature of the Big Bowl sinks is the large 45x40 cm bowl. A practical and versatile solution.

Big Bowl Soft

STD

cabinet	finish	EAN	code
90	brushed	8033524371211	**1662 001** rh
		8033524371228	**1662 002** lh

Picture show rh version

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **450x400 + 275x400 mm**
cut-out: 840x480 R 135 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: C E L4 M N2 S T3 T4
optional automatic waste fitting: PR PQ PC page 147

FT FTS

cabinet	finish	EAN	code
90	brushed	8033524371631	**1062 061** rh
		8033524371648	**1062 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **873x513 mm**
2 bowls: **450x400 + 275x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 R 145 mm
bowl depth: 180 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: C E L4 N2 S T3 T4
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet	finish	EAN	code
60	brushed	8033524376025	**1661 201** rh
		8033524376032	**1661 202** lh

Picture show rh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **450x400 mm**
cut-out: 840x480 R 135 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: E L4 M N2 S T4
optional automatic waste fitting: PR PQ PC page 147

FT FTS

cabinet	finish	EAN	code
60	brushed	8033524376049	**1061 261** rh
		8033524376056	**1061 262** lh

Picture show rh version

st. steel: AISI 304
dimensions: **873x513 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 860x500 R 145 mm
bowl depth: 195 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



optional accessories: E L4 N2 S T4
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Big Bowl Soft

STD

cabinet	finish	EAN	code
60	brushed	8033524371181	**1611 060**



st. steel: AISI 304
dimensions: **550x500 mm**
1 bowl: **450x400 mm**
cut-out: 530x480 R 135 mm
bowl depth: 195 mm
drain: 3½”

optional accessories: E L4 N2 S T4
optional automatic waste fitting: PR PQ PC page 147

FT FTS

cabinet	finish	EAN	code
60	brushed	8033524371693	**1115 060**



st. steel: AISI 304
dimensions: **563x513 mm**
1 bowl: **450x400 mm**
cut-out FT: see web site
cut-out FTS: 550x500 R 145 mm
bowl depth: 195 mm
drain: 3½”

optional accessories: E L4 N2 S T4
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Detail of the sinuous profile of the flush-mount Big Bowl sinks. The design perfectly matches the flush-mount Veronika hobs.

Tornado and Uragano

A classic staple of the Foster range, the Tornado and Uragano sinks do not feel the passing of the years. The mono-bowl solution, which Foster was first in introducing, is indeed among the most sought-after due to its great practicality.

Tornado and Uragano

features

Large bowls, practical for large dishes, **transform into complete work-areas,** thanks to the many available accessories.

The same philosophy in two different sizes. Tornado and Uragano are available with **many different edges and shapes**, for the maximum freedom of choice.

Tornado and Uragano are now available also with a **7" waste-fitting,** a large drain equipped with the practical drilled basket to receive the waste of your preparations.

accessories

Preparing, washing dishes and utensils. The extensive set of accessories that come with Tornado and Uragano, let you turn the sink into **a true multi-purpose center**.

Preparation
The functionality of the Uragano sink is marked by the simultaneous use of two chopping boards. The picture shows the use of accessories L2 and Z.

Food washing
Washing fruit to prepare a fruit salad while drying a glass at the same time. The picture shows the use of accessories L2, Z, V, O and Q.

Washing dishes
Applying soap and drying in the same space. The picture shows the use of accessories L2, T, V and O.

I
8659 112

L2
8644 003

O
8152 100

Q
8151 100

T *
8100 154

U
8100 111



V
8100 112

Z *
8154 000

**to use only with L2 chopping board **to use only with V bowl holder*

Uragano

A name that evokes the large amount of water that this product is capable of housing. **The ideal choice for those who prefer freedom of movement**. Uragano is almost a metre large.

suggested mixer taps

Magnum
(8484 000 - p. 160)

Geo
(8454 000 - p. 163)

Uragano accessory KIT

The kit include the followings:

I
Chopping board
37x46 cm
8659 112



V
St. steel bowl holder
37x45 cm
8100 112

O
White plastic bowl
36x30 cm
8152 100

Q
White colander
17x32 cm
8151 100

Discover the great functionality of the big Uragano bowl. Now available also in the accessorized version, including the practical kit described aside.

The full range of matching accessories is presented at page 97.

Uragano

STD

cabinet **100**

finish	EAN	code
brushed	8033524371778	**1555 600**
	8051566435104	**1555 609***
microfoster	8033524370245	**1555 460**
	8051566435098	**1555 469***

st. steel: AISI 304
dimensions: **970x500 mm**
1 bowl: **910x440 mm**
cut-out: 950x480 mm
bowl depth: 215 mm
drain: 3½"
tap hole: 1 standard



* Accessories kit included

optional accessories: I L2 O Q T U V Z

SF

cabinet **100**

finish	EAN	code
brushed	8033524371570	**1054 600**
	8051566435067	**1054 609***

st. steel: AISI 304
dimensions: **983x513 mm**
1 bowl: **910x440 mm**
cut-out: 950x480 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



* Accessories kit included

optional accessories: I L2 O Q T U V Z

FT FTS

cabinet **100**

finish	EAN	code
brushed	8033524371587	**1055 600**
	8051566435074	**1055 609***

st. steel: AISI 304
dimensions: **983x513 mm**
1 bowl: **910x440 mm**
cut-out FT: see web site
cut-out FTS: 970x500 R 145 mm
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard



* Accessories kit included

optional accessories: I L2 O Q T U V Z

STD

cabinet **100**

finish	EAN	code
brushed	8051566431625	**1555 070**

st. steel: AISI 304
dimensions: **970x500 mm**
1 bowl: **910x440 mm**
cut-out: 950x440 mm
bowl depth: 215 mm
drain: **7"**
tap hole: 1 standard



optional accessories: I L2 O Q T U V Z

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Tornado

A greater feeling of space with 80 cm. This is the essential quality of a Tornado sink, thanks to the shape and capacity of its bowl.

suggested mixer taps

Lorenzo
(8466 000 - p. 170)

Gamma
(8483 001 - p. 168)

STD

cabinet	finish	EAN	code
80	brushed	8033524371792	**1579 660**
	microfoster	8033524371785	**1579 460**

st. steel: AISI 304
dimensions: **790x500 mm**
1 bowl: **730x440 mm**
cut-out: 770x480 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request

optional accessories: H I L2 O Q T U Z



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Tornado

SF

cabinet 80	finish	EAN	code
	brushed	8033524371655	**1078 660**

st. steel: AISI 304
dimensions: **803x513 mm**
1 bowl: **730x440 mm**
cut-out: 770x480 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request

optional accessories: H I L2 O Q T U Z



STD

cabinet 80	finish	EAN	code
	brushed	8033524371815	**1679 660**

st. steel: AISI 304
dimensions: **790x500 mm**
1 bowl: **730x440 mm**
cut-out: 770x480 R 135 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request

optional accessories: H I L2 O Q T U Z



FT FTS

cabinet 80	finish	EAN	code
	brushed	8033524371662	**1079 660**

st. steel: AISI 304
dimensions: **803x513 mm**
1 bowl: **730x440 mm**
cut-out FT: see web site
cut-out FTS: 790x500 R 145 mm
bowl depth: 210 mm
drain: **automatic** 3½"
tap hole: 2 standard - 3rd hole on request

optional accessories: H I L2 O Q T U Z



STD

cabinet 80	finish	EAN	code
	brushed	8051566430413	**1579 670**

st. steel: AISI 304
dimensions: **790x500 mm**
1 bowl: **730x440 mm**
cut-out: 770x480 mm
bowl depth: 215 mm
drain: **7"**
tap hole: 1 standard

optional accessories: H I L2 O Q T U Z



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Alien2

The classical Foster one-piece sink. A solid sink of great practicality.

suggested mixer taps

S1000 - Z85
(8442 500 - p. 175)

GF
(8452 000 - p. 172)

matchings

KS p. 224

accessories

L4
8631 300

M
8643 000

N2
8657 001

Q
8151 100



R
8611 000



T4
8100 301

Alien2

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8033524371235	**1912 061** rh
	8033524371242	**1912 062** lh
microfoster	8033524370276	**1912 461** rh
	8033524370283	**1912 462** lh
design	8033524370290	**1912 761** rh
	8033524370306	**1912 762** lh

Picture show rh version

optional accessories: L4 M N2 R T4

optional automatic waste fitting: PR PQ PC page 147

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **360x400 mm**
cut-out: 1140x480 mm
bowl depth: 175 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



STD

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524371280	**1963 061** rh
	8033524371297	**1963 062** lh
microfoster	8033524370382	**1963 461** rh
	8033524370399	**1963 462** lh
design	8033524370405	**1963 761** rh
	8033524370412	**1963 762** lh

Picture show rh version

optional accessories: M N2 Q R T4

optional automatic waste fitting: PR PQ PC page 147

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **360x400 + 150x300 mm**
cut-out: 950x480 mm
bowl depth: 175 mm
drain: 3½"
tap hole: 1 standard - 2nd and 3nd hole on request



STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8033524371273	**1962 060**
microfoster	8033524370368	**1962 460**
design	8033524370375	**1962 760**

optional accessories: L4 M N2 R T4

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **360x400 mm**
cut-out: 840x480 mm
bowl depth: 175 mm
drain: 3½"
tap hole: 1 standard



STD

cabinet **45**

finish	EAN	code
brushed	8033524371259	**1961 061** rh
	8033524371266	**1961 062** lh
microfoster	8033524370320	**1961 461** rh
	8033524370337	**1961 462** lh
design	8033524370344	**1961 761** rh
	8033524370351	**1961 762** lh

Picture show lh version



optional accessories: L4 M N2 R T4

optional automatic waste fitting: PR PQ PC page 147

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **360x400 mm**
cut-out: 840x480 mm
bowl depth: 175 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

F2000

New ranges that bestow **a highly personal touch** on the kitchen environment.

suggested mixer taps

F2000 - Alto
(8458 000 - p. 172)

F2000 - Basso
(8459 000 - p. 173)

matchings

F2000 p. 236

accessories

M
8643 000

N2
8657 001



R
8611 000

F2000

STD

cabinet **80**

finish	EAN	code
brushed	8033524371310	**2012 061** rh
	8033524371327	**2012 062** lh
microfoster	8033524378562	**2012 461** rh
	8033524378579	**2012 462** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **345x400 mm**
cut-out: 1140x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: M N2
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

STD

cabinet **80**

finish	EAN	code
brushed	8033524371365	**2062 060**
microfoster	8033524378623	**2062 460**

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **345x400 mm**
cut-out: 840x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard

optional accessories: M N2



Model which cannot be welded into stainless steel worktops

STD

cabinet **45**

finish	EAN	code
brushed	8033524371341	**2061 061** rh
	8033524371358	**2061 062** lh
microfoster	8033524378616	**2061 461** rh
	8033524378609	**2061 462** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **360x400 mm**
cut-out: 840x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard

optional accessories: M N2 R



Model which cannot be welded into stainless steel worktops

STD

cabinet **80**

finish	EAN	code
brushed	8033524373413	**2072 060**
microfoster	8051566430079	**2072 460**

st. steel: AISI 304
dimensions: **790x500 mm**
2 bowls: **345x400 mm**
cut-out: 770x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard

optional accessories: M N2



Model which cannot be welded into stainless steel worktops

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Angolare

A complete range of corner solutions. New, tight-radius bowls, new drainer design and possibility to have both bowls on one side or the drainer in the middle.

suggested mixer taps

S1000 - Z66
(8448 500 - p. 174)

Camillo
(8467 000 - p. 158)

accessories

A
8647 000

L4
8631 300

N2
8657 001

O2
8153 100

R
8611 000

S
St. steel
8612 000
white
8612 100

T
8100 154



T1
8100 201

T4
8100 301

Z
8154 000

W
8100 331

Angolare

STD

cabinet	finish	EAN	code
90x90	brushed	8033524378913	**3307 060**



st. steel: AISI 304
dimensions: **830x830 mm**
2 bowls: **340x400 mm**
cut-out: see web site
bowl depth: 210 mm
drain: 3½”
tap hole: 1 standard

optional accessories: A N2 O2 R T4 W

STD

cabinet	finish	EAN	code
90	brushed	8033524378906	**3306 060**



st. steel: AISI 304
dimensions: **830x830 mm**
2 bowls: **400x400 + 180x340 mm**
cut-out: see web site
bowl depth: 215 - 175 mm
drain: 3½” + 1¼” on drainer
tap hole: 1 standard - 2nd hole on request

optional accessories: L4 N2 O2 S T1
optional automatic waste fitting: PR PQ PC page 147

STD

cabinet	finish	EAN	code
90	brushed	8033524371525	**3308 060**



st. steel: AISI 304
dimensions: **830x830 mm**
2 bowls: **340x400 + 233x335 mm**
cut-out: see web site
bowl depth: 210 - 160 mm
drain: 3½” + 1¼” on drainer
tap hole: 1 standard - 2nd hole on request

optional accessories: A N2 O2 R T T4 Z
optional automatic waste fitting: PR PQ PC page 147

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Trapezio

For corners but not only. A modern design that enhances the work area. The draining board positioned on both sides expands the possible functions.

suggested mixer taps

Lorenzo
(8466 000 - p. 170)

Arsenio
(8471 000 - p. 166)

STD

cabinet	finish	EAN	code
60	brushed	8033524371532	**3311 061** rh
		8033524371549	**3311 062** lh

Picture show rh version

st. steel: AISI 304
dimensions: **1006x552 mm**
2 bowls: **184x320 + 341,5x443,7 mm**
cut-out: see web site
bowl depth: 200 mm
drain: **automatic** 3½"
tap hole: 2 standard

optional accessories: R Z4 L U3



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

accessories

U3
8100 040

Z4
8154 040

L
8644 040

A
8647 000

G
8646 000

L4
8631 300

N2
8657 001

O2
8153 100

Q
8151 100



R
8611 000

S
St. steel
8612 000
white
8612 100

T4
8100 301

Diamant

A new proposal with an original design which **can be fitted to angle, half angle or linear solutions**. Available in two versions: with large+small bowl, or with a large 50 cm single bowl.

suggested mixer taps

F2000 - Basso
(8459 000 - p. 173)

Play
(8487 000 - p. 161)

7mm

cabinet	finish	EAN	code
60	brushed	8051566430017	**3312 062**

st. steel: AISI 304
dimensions: **988x508 mm**
2 bowls: **340x400 + 150x300 mm**
cut-out: see web site
bowl depth: 195 mm
drain: **automatic** 3½"
tap hole: 2 standard

optional accessories: A L4 N2 O2 Q R T4



7mm

cabinet	finish	EAN	code
80	brushed	8051566430024	**3321 060**

st. steel: AISI 304
dimensions: **988x508 mm**
1 bowl: **504x400 mm**
cut-out: see web site
bowl depth: 210 mm
drain: 3½"
tap hole: 1 standard

optional accessories: G L4 N2 O2 S



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Rondò

A brilliant idea that has become an **icon of "space-saving" solutions**.

The Rondò project received the Mention of Honour at the prestigious **ADI "Golden Compass"** international design competition.

Rondò is **unique also in its accessories**. The special stainless steel basket and colanders are versatile, yet elegant furnishing complements.

matchings

Rondò p. 246
Rondò Kristall p. 247
Vitroline Hi-light p. 274

Great freedom of matching for the Rondò sink: gas cooker hobs in steel or glass, but also vetroceramic hobs both in white and black.

STD

cabinet 60	finish	EAN	code
	brushed	8033524370467	**1052 060**
	microfoster	8033524370474	**1052 460**
	design	8033524370481	**1052 760**

st. steel: AISI 304
dimensions: **Ø 520 mm**
1 bowl: **Ø 460 mm**
cut-out: Ø 505 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard



optional accessories: K X Z3 δ

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

accessories

K
8648 000

X
8610 000

Z3
8153 000

δ
8153 001

Circolari

The round solutions offer **5 models** that differ for the size of the waste and for the installation system: standard-edge, flush-mount or undermount.

undermount p. 142

STD

cabinet 45	finish	EAN	code
drain **2”**	brushed	8033524370429	**1010 000**
drain **3½”**	brushed	8033524370436	**1010 060**



st. steel: AISI 304
dimensions: **Ø 440 mm**
1 bowl: **Ø 380 mm**
cut-out: Ø 420 mm
bowl depth: 175 mm
drain: 2" or 3½”
tap hole: 1 standard

optional accessories: J

FT FTS

cabinet 45	finish	EAN	code
	brushed	8033524371679	**1110 060**



st. steel: AISI 304
dimensions: **Ø 420 mm**
1 bowl: **Ø 380 mm**
cut-out FT: see web site
cut-out FTS: Ø 407 mm
bowl depth: 170 mm
drain: 3½”
tap hole: 1 standard

optional accessories: J

Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

accessories

J
8651 000

S1000

AISI 304 (18/10) stainless steel as for all the other sinks, the availability of different finishes, functional accessories in addition to the Foster guarantee.

suggested mixer taps

Lorenzo
(8466 000 - p. 170)

S1000 - RO
(8443 002 - p. 177)

matchings

F2000 p. 236

accessories

M
8643 000

N2
8657 001



R
8611 000

T4
8100 301

S1000

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8033524370207	**1812 161** rh
	8033524370214	**1812 162** lh
microfoster	8033524378753	**1812 461** rh
	8033524378760	**1812 462** lh

Picture show lh version

st. steel: AISI 304
dimensions: **1160x500 mm**
2 bowls: **360x400 mm**
cut-out: 1140x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: M N2 R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

STD

cabinet **60-80**(T)

finish	EAN	code
brushed	8033524378661	**1197 161** rh
	8033524378678	**1197 162** lh
microfoster	8033524378708	**1197 461** rh
	8033524378715	**1197 462** lh

Picture show lh version

st. steel: AISI 304
dimensions: **970x500 mm**
2 bowls: **340x400 + 170x300 mm**
cut-out: 950x480 mm
bowl depth: 160 mm
drain: 3½"
tap hole: 1 standard - 2nd hole on request

optional accessories: M N2 R T4
optional automatic waste fitting: PR PQ PC page 147



Model which cannot be welded into stainless steel worktops

STD

cabinet **45**

finish	EAN	code
brushed	8033524370108	**1186 161** rh
	8033524370115	**1186 162** lh
microfoster	8033524378791	**1186 461** rh
	8033524378807	**1186 462** lh

Picture show lh version

st. steel: AISI 304
dimensions: **860x500 mm**
1 bowl: **340x400 mm**
cut-out: 840x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard

optional accessories: M N2 R T4



Model which cannot be welded into stainless steel worktops

STD

cabinet **80-90**(T)

finish	EAN	code
brushed	8033524370238	**1886 160**
microfoster	8033524378777	**1886 460**

st. steel: AISI 304
dimensions: **860x500 mm**
2 bowls: **360x400 mm**
cut-out: 840x480 mm
bowl depth: 170 mm
drain: 3½"
tap hole: 1 standard

optional accessories: M N2 R T4



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

S1000

STD

cabinet **80**

finish	EAN	code
brushed	8033524370153	**1279 060**

st. steel: AISI 304
dimensions: **790x500 mm**
2 bowls: **360x400 mm**
cut-out: 770x480 mm
bowl depth: 170 mm
drain: 3½”
tap hole: 1 standard

optional accessories: M N2 R T4



STD

cabinet **45**

finish	EAN	code
brushed	8033524370054	**1179 061** rh
	8033524370061	**1179 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **790x500 mm**
1 bowl: **340x400 mm**
cut-out: 770x480 mm
bowl depth: 170 mm
drain: 3½”
tap hole: 1 standard

optional accessories: M N2 R T4



Model which cannot be welded into stainless steel worktops

STD

cabinet **45**

	finish	EAN	code
drain **2”**	brushed	8033524375929	**1144 001** rh
		8033524375936	**1144 002** lh
drain **3½”**	brushed	8051566430048	**1144 061** rh
		8051566430055	**1144 062** lh

Picture show lh version

st. steel: AISI 304
dimensions: **440x500 mm**
1 bowl: **360x360 mm**
cut-out: 420x480 mm
bowl depth: 170 mm
drain: 2” or 3½”
tap hole: 1 standard

Version rh means right faucet hole;
lh left faucet hole



STD

cabinet **30**

finish	EAN	code
brushed	8033524370016	**1129 000**

st. steel: AISI 304
dimensions: **290x500 mm**
1 bowl: **240x340 mm**
cut-out: 270x480 mm
bowl depth: 170 mm
drain: 2”
tap hole: 1 standard



Standard fittings: fixing brackets, gasket (not available for under-mount sinks), waste fitting, overflow and siphon. Packing: single carton box.

Foster